



MT600+

Master Tug

Electric Tow Tug | The MasterTug MT600+

The MasterTug MT600+ is designed to allow a single pedestrian operator to easily push, pull and steer wheeled loads weighing up to a maximum of 6,000 kg. As part of the MasterTug range, the MT600+ features a durable drive wheel that aids traction and robust zinc coated steel couplings. The tug's self-adjusting castor guard removes any foot trap risks and the maintenance-free battery is both convenient and safe.

Industries

Suitable for use in a wide range of applications and sectors



Paper



Automotive and Commercial vehicles



Steel and fabrication



Plastic and metal extrusion


KeyBenefits


1 year full guarantee


- Battery monitoring system
- FEA tested steel chassis
- Dual secured mast

- AC drive motor
- Self-adjusting castor guard
- Hydraulic weight transfer

ProductDimensions







SafetyFeatures

See our website for full technical details



Self-adjusting castor guard for foot protection



Automatic cut off as tiller arm returns to vertical



Anti-crush button



Emergency stop button

MaxLoadWeight

See our website for full technical details





*"Maximum load weight" is only a recommendation that we arrive at by estimating rolling resistance. Your environment and wheel type may affect this figure which is why we carry out a detailed technical evaluation on every project. All of our calculations include a "safe work load" factor to ensure safe operation in all circumstances.

TechnicalData

See our website for full technical details

н	-8	_	 4.		ca			_	
ш	u	u	 ъ.	 ш	J- (C)	ı.	ш	u	

Product code	MT600+			
Recommended load weight - Castors	6000 kg			
Recommended load weight - Rails	24000 kg			
Drive type	Electric AC			
Parking brake	Electromagnetic			
Drive wheel type	Polyurethane			
Drive motor power	1.5 kW			
Controller type	AC			
Variable machine speed	0.1 km/h - 5 km/h			
Machine weight including battery	315 kg			
Ingress Protection	IP44			

Battery options

Battery pack - sealed - 102Ah 24V - interchangeable

Battery pack - sealed - 119Ah 24V - interchangeable

Charging options

Charger - external - 10A 24V - 110V-240V Charger - external - 20A 24V - 110V-240V

Additional equipment

Option - flashing safety light and motion bleeper Option - two speed selector switch

Option - wireless control handset

Option - combi lock

Option - quick release coupling pins

Option - lifting and anchoring points

Option - battery protection system

Male coupling options

Coupling - male - height adjustable combi - medium

Coupling - male - height adjustable box - medium

Coupling - channel coupling body

Female coupling options

Coupling - female - combi - medium

Coupling - female - box - medium

To arrange a free demonstration, or for further information about our material handling solutions, please contact your local dealer

Metalgangen 16, , 2690 Karlslunde, , Denmark **Telephone:** +45 45877412 **Email:** info@repella.dk **Fax:** +45 45883084 **Website:** www.mastermover.com



AboutUs

Located in Derbyshire, the UK's manufacturing hub, MasterMover is a British business success story with customers all over the world.

Our products are relied upon by market leading organisations and global brands across a broad cross-section of industries including Aerospace, Automotive, Pharmaceutical, Retail and Healthcare.

